



Product Information Flyer

DESCRIPTION

PRODUCTO FCR-400 is a ready-to-use, water based rubber lubricant.

APPLICATION

PRODUCTO FCR-400 is intended for use in lubricating rubber or plastic hoses, O-rings and other parts to facilitate assembly.

FEATURES & BENEFITS

RESIDUE:

PRODUCTO FCR-400 dries after application, preventing accidental slippage of parts after assembly. Dried residues are readily soluble in water. This product will not adversely affect rubber or plastics.

USE AS RECEIVED:

PRODUCTO FCR-400 is formulated to use as received, which insures that the correct concentration of lubricant is supplied with each application.

EASY TO APPLY:

PRODUCTO FCR-400 can be applied to parts by automated, mechanical or manual methods. Most common manual methods are dip, spray or sponge application.

HANDLING:

PRODUCTO FCR-400 is non-toxic, non-flammable, water based material that requires no special precautions in handling. It allows for easy lubrication of mandrels and spindles for tube and hose application but is slippery when wet so care should be taken when applying.

RECOMMENDED STARTING DILUTIONS

PRODUCTO FCR-400 is designed to use as received. Additional dilution is not required. Add no other materials to the product.

CONCENTRATION

PRODUCTO FCR-400 is designed to use as received. Additional dilution is not required.

TYPICAL PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid

Appearance and Odour: Clear/Chemical

Solubility in Water: 100% Miscible

Specific Gravity: 1.01

Boiling Point: 212°F (100°C)

VOC Content (by ASTM D2369): 0%

pH Concentrate: 7.5

HANDLING and STORAGE

If frozen product separates, thaw completely at room temperature and stir thoroughly. Inside storage is recommended.

SAFETY DATA SHEET

Available at www.cimcool.ca

For additional information refer to its WHMIS MSDS, website or contact CIMCOOL® Technical Services at 1-513-458-8199 in Ohio or 1-888-254-1919 in Canada.

Limitation of Liability: Under no circumstances, shall we or any affiliate of ours have any liability whatsoever for loss of use, or for any indirect or consequential damages. Minor formulation changes or normal variations in the manufacture of this product may cause slight variances in the data presented on this sheet.