

SAFETY DATA SHEET

1. Identification

•••					
Product identifier CIMPUI		CIMPULSE™ 58MP			
		METALWORKING FLUID			
Other means of identification					
	SDS number	Not applicable			
	Product code	B02011			
Red	commended use	METALWORKING FLUID			
Red	commended restrictions	None known.			
Ма	nufacturer/Importer/Supplier/	Distributor information			
	Company name	CIMCOOL® Industrial Products LLC			
		3000 Disney Street			
		Cincinnati, Ohio 45209			
	Telephone (General Information)	513-458-8100			
	Emergency telephone	1-800-424-9300 (CHEMTREC)			
	Emergency telephone number (outside USA)	1-703-527-3887 (CHEMTREC)			
Su	oplier				
	Company name	CIMCOOL® Canada			
	Address	1175 Appleby Line Road, Unit B-1			
		Burlington Ontario L7L5H9 Canada			
	Telephone (General	905-319-1919			
	Information)				
	Emergency telephone number (outside USA)	1-703-527-3887 (CHEMTREC)			
Su	oplier	Not available.			
2.	Hazard identification				
Phy	/sical hazards	Not classified.			
Hea	alth hazards	Skin irritation	Category 2		
		Serious eye irritation	Category 2		
Env	vironmental hazards	Not classified.	0,1		
Lat	el elements				
		$\mathbf{\wedge}$			
	Signal word	Warning			
	Hazard statement	Causes skin irritation. Causes serious eye irrit	ation.		
	Precautionary statement				
	Fiecaulionaly Statement				

Signal wordWarningHazard statementCauses skin irritation. Causes serious eye irritation.Precautionary statementVash thoroughly after handling. Wear eye protection/face protection. Wear protective gloves.PreventionWash thoroughly after handling. Wear eye protection/face protection. Wear protective gloves.ResponseIF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Other hazards	None known.
Supplemental information	1.44% of the mixture consists of component(s) of unknown acute oral toxicity. 12.45% of the mixture consists of component(s) of unknown acute dermal toxicity.

Use in manufacturing processes only.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
SEVERELY-HYDROTREATED NAPHTHENIC DISTILLATES		64742-52-5	10 - 30
AMINOMETHYLPROPANOL		124-68-5	5 - 10
TRIETHANOLAMINE		102-71-6	5 - 10
ALCOHOLS, C13-15, BRANCHED AND LINEAR, ETHOXYLATED		68002-97-1	1 - 5
ETHOXYLATED AMINE		68478-95-5	1 - 5
MONOISOPROPANOLAMINE		78-96-6	1 - 5
Other components below reportable	levels		30 - 60

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist. Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Rinse skin with water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth thoroughly. Drink 1 or 2 glasses of water. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.
Most important symptoms/effects, acute and delayed	Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Symptoms may be delayed.
General information	If exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Wear suitable protective equipment.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials. In the event of fire and/or explosion do not breathe fumes.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.	
Methods and materials for containment and cleaning up	Local authorities should be advised if significant spillages cannot be contained. This product is miscible in water. Prevent entry into waterways, sewer, basements or confined areas. Clean up in accordance with all applicable regulations.	
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.	
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.	
Environmental precautions	Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.	
7. Handling and storage		
Precautions for safe handling	Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.	
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use. Store away from incompatible materials (see Section 10 of the SDS).	

8. Exposure controls/personal protection

Occupational exposure limits

ACGIH		
Components	Туре	Value
SEVERELY-HYDROTREAT ED NAPHTHENIC DISTILLATES (CAS 64742-52-5)	TWA	5 mg/m3
US. ACGIH Threshold Limit Values	5	
Components	Туре	Value
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3
Canada. Alberta OELs (Occupation	nal Health & Safety Code, Scl	hedule 1, Table 2)
Components	Туре	Value
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3
Canada. British Columbia OELs. (Safety Regulation 296/97, as amen		s for Chemical Substances, Occupational Health and
Components	Туре	Value
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3
Canada. Manitoba OELs (Reg. 217	/2006, The Workplace Safety	And Health Act)
Components	Туре	Value
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3

	Туре	Value
TRIETHANOLAMINE (CAS 102-71-6)	TWA	3.1 mg/m3
		0.5 ppm
Canada. Quebec OELs. (Mir	nistry of Labor - Regulation respecting	g occupational health and safety)
Components	Туре	Value
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3
Canada. Saskatchewan OEI	Ls (Occupational Health and Safety Re	egulations, 1996, Table 21)
Components	Туре	Value
TRIETHANOLAMINE (CAS 102-71-6)	15 minute	10 mg/m3
	8 hour	5 mg/m3
ological limit values	No biological exposure limits noted for	r the ingredient(s).
propriate engineering ntrols	applicable, use process enclosures, lo maintain airborne levels below recomm	ed. Ventilation rates should be matched to conditions. If ocal exhaust ventilation, or other engineering controls to mended exposure limits. If exposure limits have not been o an acceptable level. Provide eyewash station and safe
	shower.	
vidual protection measures,	shower. such as personal protective equipme	
lividual protection measures, Eye/face protection	such as personal protective equipme	
•	such as personal protective equipme Do not get in eyes. Wear safety glasse	ent
Eye/face protection	such as personal protective equipme Do not get in eyes. Wear safety glasse	ent
Eye/face protection Skin protection	such as personal protective equipme Do not get in eyes. Wear safety glasse recommended.	ent es with side shields (or goggles). Eye wash fountain is
Eye/face protection Skin protection Hand protection	such as personal protective equipme Do not get in eyes. Wear safety glasse recommended. Nitrile gloves are recommended.	ent es with side shields (or goggles). Eye wash fountain is lothing.
Eye/face protection Skin protection Hand protection Other	such as personal protective equipme Do not get in eyes. Wear safety glasse recommended. Nitrile gloves are recommended. Wear appropriate chemical resistant c	ent es with side shields (or goggles). Eye wash fountain is lothing.
Eye/face protection Skin protection Hand protection Other Respiratory protection	such as personal protective equipme Do not get in eyes. Wear safety glasse recommended. Nitrile gloves are recommended. Wear appropriate chemical resistant of In case of insufficient ventilation, wear Wear appropriate thermal protective of When using, do not eat, drink or smok good personal hygiene measures, suc	ent es with side shields (or goggles). Eye wash fountain is lothing. suitable respiratory equipment.

Appearance	CLEAR	
Physical state	Liquid.	
Form	Liquid.	
Color	Not available.	
Odor	CHEMICAL	
Odor threshold	Not available.	
рН	10.0	
Melting point/freezing point	< -3 °F (< -19.4 °C)	
Initial boiling point and boiling range	> 212 °F (> 100 °C)	
Flash point	Not Applicable	
Evaporation rate	Like water when diluted	
Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or explosive limits		
Flammability limit - lower (%)	Not available.	
Flammability limit - upper (%)	Not available.	
Explosive limit - lower (%)	Not available.	
Explosive limit - upper (%)	Not available.	

Vapor pressure	Not available.	
Vapor density	Not available.	
Relative density	Not available.	
Solubility(ies)		
Solubility (water)	100 % Water Miscible	
Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	Not available.	
Other information		
Explosive properties	Not explosive.	
Oxidizing properties	Not oxidizing.	
pH in aqueous solution	8.8 @ 5%	
Specific gravity	1.033	
VOC ASTM D2369	18 %	

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Heat, flames and sparks. Contact with incompatible materials.
Incompatible materials	Acids. Oxidizing agents. Do not add sodium nitrite or other nitrosating agents which may form cancer causing nitrosamines.
Hazardous decomposition products	Smoke, fumes, oxides of nitrogen, hydrogen chloride, oxides of sulfur, and oxides of carbon

11. Toxicological information

Information on likely routes of exposure

Inhalation	Health injuries are not known or expected under normal use.
Skin contact	Causes skin irritation.
Eye contact	Causes eye irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation.

Information on toxicological effects

Acute toxicity

Components	Species	Test Results
ALCOHOLS, C13-	15, BRANCHED AND LINEAR, ETHOXYLAT	ED (CAS 68002-97-1)
Acute		
Dermal		
Liquid		
LD50	Rat	> 2000 mg/kg
Oral		
Liquid		
LD50	Rat	> 5000 mg/kg
AMINOMETHYLPI	ROPANOL (CAS 124-68-5)	
<u>Acute</u>		
Dermal		
Liquid		
LD50	Rabbit	> 2000 mg/kg

Components	Species	Test Results
Oral		
Liquid		
LD50	Rat	2900 mg/kg
THOXYLATED AMINE (CAS 68	478-95-5)	
Acute		
Oral		
Liquid		
LD50	Rat	1000 - 2000 mg/kg
IONOISOPROPANOLAMINE (C	AS 78-96-6)	
<u>Acute</u>		
Dermal		
Liquid		
LD50	Rabbit	1576 mg/kg
EVERELY-HYDROTREATED N	APHTHENIC DISTILLATES	(CAS 64742-52-5)
<u>Acute</u>		
Dermal		
Liquid		
LD50	Rabbit	> 5000 mg/kg
Inhalation		
Mist		
LC50	Rat	> 5.1 mg/l, 4 hours ATE
Oral		
Liquid		
LD50	Rat	> 5000 mg/kg
RIETHANOLAMINE (CAS 102-7	'1-6)	
Acute		
Dermal		
Liquid		
LD50	Rabbit	> 2000 mg/kg
Oral		
Liquid		
LD50	Rat	4190 mg/kg
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye rritation	Causes eye irritation.	
Respiratory or skin sensitizatio	n	
Canada - Alberta OELs: Irri		
TRIETHANOLAMINE (C		Irritant
Canada - Quebec OELs: Se		
TRIETHANOLAMINE (C		Sensitizer.
Respiratory sensitization	Not a respiratory sensitize	r.
Skin sensitization		ed to cause skin sensitization.
Germ cell mutagenicity		
	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	This product is not conside	ered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
	Oil /Distillate meets the El aromatic compound (PAC	J requirement of less than 3% (w/w) DMSO extract for total polycyclic) using IP 346.
IARC Monographs. Overall	Evaluation of Carcinogenio	sity
TRIETHANOLAMINE (C	AS 102-71-6)	3 Not classifiable as to carcinogenicity to humans.
		ed to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful. May be harmful if absorbed through skin.
	Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans.
Further information	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

12. Ecological information


Ecotoxicity		s not classified as environmentally hazard t large or frequent spills can have a harm	lous. However, this does not exclude the full or damaging effect on the environment.
Components		Species	Test Results
ALCOHOLS, C13-15, BRAN	CHED AND LINE	AR, ETHOXYLATED (CAS 68002-97-1)	
Aquatic			
Acute			
Crustacea	EC50	Daphnia	0.1 - 1 mg/l, 48 hours
Fish	LC50	Zebra danio (Danio rerio)	1 - 10 mg/l, 96 hours
AMINOMETHYLPROPANOL	(CAS 124-68-5)		
Aquatic			
Acute			
Crustacea	EC50	Daphnia	193 mg/l, 48 hours
Fish	LC50	Bluegill (Lepomis macrochirus)	190 mg/l, 96 hours
MONOISOPROPANOLAMIN	IE (CAS 78-96-6		
Aquatic			
Fish	LC50	Goldfish (Carassius auratus)	210 mg/l, 96 hours
Acute			
Crustacea	EC50	Daphnia	109 mg/l, 48 hours
TRIETHANOLAMINE (CAS	102-71-6)		
Aquatic			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	565.2 - 658.3 mg/l, 48 hours
Acute			
Fish	LC50	Bluegill (Lepomis macrochirus)	450 - 1000 mg/l, 96 hours
Persistence and degradability	No data is ava	ailable on the degradability of any ingredi	ents in the mixture.
Bioaccumulative potential			
Partition coefficient n-octa MONOISOPROPANOLAMIN TRIETHANOLAMINE		Kow) -0.93 -2.3	
Mobility in soil	No data available.		
Other adverse effects		erse environmental effects (e.g. ozone de ocrine disruption, global warming potentia	
13. Disposal consideration	ons		
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.		
Local disposal regulations	Dispose in ac	cordance with all applicable regulations.	
Hazardous waste code	The waste co disposal com	-	een the user, the producer and the waste
Waste from residues / unused products	Dispose of in product residu Disposal instr	accordance with local regulations. Empty les. This material and its container must b uctions).	containers or liners may retain some be disposed of in a safe manner (see:

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

TDG	
UN number	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALKANES C14-16,
en proper empping name	CHLORO, ALCOHOLS, C13-15, BRANCHED AND LINEAR, ETHOXYLATED), MARINE
	POLLUTANT (3-IODO-2-PROPYNYL BUTYLCARBAMATE, Cadmium)
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	Yes
Special precautions for use	r Read safety instructions, SDS and emergency procedures before handling.
3-IODO-2-PROPYNYL BUTYI	LCARBAMATE
Cadmium	
ΙΑΤΑ	
UN number	UN3082
UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (ALKANES C14-16, CHLORO, ALCOHOLS,
Trepopert becard close(ac)	C13-15, BRANCHED AND LINEAR, ETHOXYLATED)
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	
Environmental hazards	Yes 9I
ERG Code	
Other information	r Read safety instructions, SDS and emergency procedures before handling.
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALKANES C14-16,
on proper snipping name	CHLORO, ALCOHOLS, C13-15, BRANCHED AND LINEAR, ETHOXYLATED), MARINE
	POLLUTANT
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes
EmS	F-A, S-F
	 Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to	Not established.
Annex II of MARPOL 73/78 and	
the IBC Code	
IATA: IMDG: TDG	

IATA; IMDG; TDG



Marine pollutant



General information

IMDG Regulated Marine Pollutant.

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Subst	ances Act	
Not regulated.		
Export Control List (CEPA 1	999, Schedule 3)	
Not listed.		
Greenhouse Gases		
Not listed.		
Precursor Control Regulation	ons	
Not regulated.		
International regulations		
Stockholm Convention		
Not applicable.		
Rotterdam Convention		
Not applicable.		
Kyoto protocol		
Not applicable. Montreal Protocol		
Not applicable. Basel Convention		
Not applicable.		
International Inventories		
Country(s) or region	Inventory name	On inventory or exempt (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Yes" indicates that all compor	nents of this product comply with the inventory requirements administered	by the governing country(s)

16. Other information

Revision date 09-08-2020 Version # 02
Revision date 09-08-2020
Issue date 10-02-2019

NFPA ratings	Health: 1 Flammability: 0 Instability: 0
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.