# SAFETY DATA SHEET

#### 1. Identification

**Product identifier** CIMSTAR® 10-560VLC

METALWORKING FLUID

Other means of identification

SDS number Not applicable B01645 **Product code** 

Recommended use METALWORKING FLUID

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Company name CIMCOOL® Industrial Products LLC

> 3000 Disney Street Cincinnati, Ohio 45209

Telephone (General

Information)

513-458-8100

**Emergency telephone** 

number

1-800-424-9300 (CHEMTREC)

**Emergency telephone** 

number (outside USA)

1-703-527-3887 (CHEMTREC)

Supplier

DUBOIS CHEMICAL CANADA INC dba CIMCOOL® Canada Company name

**Address** B1 - 1175 Appleby Line

Burlington, ON L7L 5H9 Canada

Telephone (General

Information)

905-319-1919

**Emergency telephone** number (outside USA) 1-703-527-3887 (CHEMTREC)

**Supplier** Not available.

2. Hazard identification

Not classified. Physical hazards

Skin irritation Category 2 **Health hazards** 

> Serious eye irritation Category 2

**Environmental hazards** Not classified.

Label elements



Signal word

**Hazard statement** Causes skin irritation. Causes serious eye irritation.

**Precautionary statement** 

Prevention Wash thoroughly after handling. Wear eye protection/face protection. Wear protective gloves.

IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several Response minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take

off contaminated clothing and wash it before reuse.

Material name: CIMSTAR® 10-560VLC Version #: 09 Revision date: 02-02-2021 Issue date: 12-01-2016 Storage Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Supplemental information Use in manufacturing processes only.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
SEVERELY-HYDROTREATED NAPHTHENIC DISTILLATES		64742-52-5	10 - 30
ALKANES C14-16, CHLORO		63449-39-8	5 - 10
AMINOMETHYLPROPANOL		124-68-5	1 - 5
MONOETHANOLAMINE		141-43-5	1 - 5
MONOISOPROPANOLAMINE		78-96-6	1 - 5
SODIUM ALKYLARYL SULFONATE		68081-81-2	1 - 5
Other components below reportable	e levels		60 - 80

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

Move to fresh air. Call a physician if symptoms develop or persist. Under normal conditions of Inhalation

intended use, this material is not expected to be an inhalation hazard.

Skin contact Rinse skin with water. If skin irritation or rash occurs: Get medical advice/attention. Wash

contaminated clothing before reuse.

Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical Eye contact

attention if irritation develops and persists.

Rinse mouth thoroughly. Drink 1 or 2 glasses of water. Do not induce vomiting. If vomiting occurs, Ingestion

keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if

you feel unwell.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

**General information** 

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation.

If exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in

attendance.

## 5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Use extinguishing measures that

are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing

media

Not applicable, non-combustible.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Wear suitable protective equipment.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials. In the

event of fire and/or explosion do not breathe fumes.

General fire hazards No unusual fire or explosion hazards noted.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Material name: CIMSTAR® 10-560VLC SDS Canada Version #: 09 Revision date: 02-02-2021

#### Methods and materials for containment and cleaning up

Local authorities should be advised if significant spillages cannot be contained. This product is miscible in water. Prevent entry into waterways, sewer, basements or confined areas. Clean up in accordance with all applicable regulations.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

**Environmental precautions** 

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

#### 7. Handling and storage

Precautions for safe handling

Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in tightly closed container. If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

#### Occupational exposure limits

**ACGIH** 

Components	Туре	Value
SEVERELY-HYDROTREAT ED NAPHTHENIC DISTILLATES (CAS 64742-52-5)	TWA	5 mg/m3
US. ACGIH Threshold Limit Value	es	
Components	Туре	Value
MONOETHANOLAMINE (CAS 141-43-5)	STEL	6 ppm
	TWA	3 ppm
Canada. Alberta OELs (Occupation	onal Health & Safety Code, Sc	hedule 1, Table 2)
Components	Туре	Value
MONOETHANOLAMINE (CAS 141-43-5)	STEL	15 mg/m3
		6 ppm
	TWA	7.5 mg/m3
		3 ppm
Canada. British Columbia OELs. Safety Regulation 296/97, as ame		ts for Chemical Substances, Occupational Health and
Components	, Туре	Value
MONOETHANOLAMINE (CAS 141-43-5)	STEL	6 ppm
	TWA	3 ppm
Canada. Manitoba OELs (Reg. 21	7/2006, The Workplace Safety	And Health Act)
Components	Туре	Value
MONOETHANOLAMINE (CAS 141-43-5)	STEL	6 ppm
	TWA	3 ppm

Material name: CIMSTAR® 10-560VLC SDS Canada 3 / 10 Revision date: 02-02-2021 Issue date: 12-01-2016

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components

Type

Value

MONOETHANOLAMINE

STEL

6 ppm

(CAS 141-43-5)

TWA 3 ppm

Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)

 Components
 Type
 Value

 MONOETHANOLAMINE (CAS 141-43-5)
 STEL
 15 mg/m3

 6 ppm
 TWA
 7.5 mg/m3

 3 ppm
 3 ppm

Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)

ComponentsTypeValueMONOETHANOLAMINE<br/>(CAS 141-43-5)15 minute<br/>8 hour6 ppm<br/>3 ppm

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If

applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety

shower.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Do not get in eyes. Wear safety glasses with side shields (or goggles). Eye wash fountain is

recommended.

Skin protection

**Hand protection** Nitrile gloves are recommended.

**Other** Wear appropriate chemical resistant clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove

contaminants.

#### 9. Physical and chemical properties

Appearance CLEAR
Physical state Liquid.
Form Liquid.

Color Not available.

Odor CHEMICAL

Odor threshold Not available.

**pH** 9.9

Melting point/freezing point  $< 21 \degree F (< -6.1 \degree C)$ Initial boiling point and boiling  $> 212 \degree F (> 100 \degree C)$ 

range

Flash point Not Applicable

**Evaporation rate** Like water when diluted

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%)

Not available. Not available.

Explosive limit - upper (%) Vapor pressure Not available. Not available. Vapor density Relative density Not available.

Solubility(ies)

100 % Water Miscible Solubility (water)

**Partition coefficient** 

Not available.

(n-octanol/water)

**Auto-ignition temperature** Not available. Not available. **Decomposition temperature Viscosity** Not available.

Other information

**Explosive properties** Not explosive. Oxidizing properties Not oxidizing. 8.7 @ 5% pH in aqueous solution **VOC ASTM D2369** 11 %

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. Chemical stability Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Heat, flames and sparks. Contact with incompatible materials.

Incompatible materials Acids. Oxidizing agents. Do not add sodium nitrite or other nitrosating agents which may form

cancer causing nitrosamines.

Hazardous decomposition

products

Smoke, fumes, oxides of nitrogen, hydrogen chloride, and oxides of carbon

## 11. Toxicological information

Information on likely routes of exposure

Health injuries are not known or expected under normal use. Inhalation

Causes skin irritation. Skin contact Eye contact Causes eye irritation.

Health injuries are not known or expected under normal use. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision. Skin irritation.

#### Information on toxicological effects

**Acute toxicity** 

**Test Results** Components **Species** 

ALKANES C14-16, CHLORO (CAS 63449-39-8)

Acute Dermal Liquid

LD50 Rabbit > 2000 mg/kg

Oral Liquid

LD50 Rat > 5000 mg/kg

SDS Canada Version #: 09 5 / 10 Revision date: 02-02-2021 Issue date: 12-01-2016

Components **Species Test Results** 

AMINOMETHYLPROPANOL (CAS 124-68-5)

Acute Dermal

Liquid

LD50 Rabbit > 2000 mg/kg

Oral Liquid

LD50 Rat 2900 mg/kg

MONOISOPROPANOLAMINE (CAS 78-96-6)

**Acute Dermal** Liquid

LD50 Rabbit 1576 mg/kg

SEVERELY-HYDROTREATED NAPHTHENIC DISTILLATES (CAS 64742-52-5)

Acute Dermal

Liquid

LD50 Rabbit > 5000 mg/kg

Inhalation

Mist

LC50 Rat > 5.1 mg/l, 4 hours ATE

Oral

Liquid

LD50 Rat > 5000 mg/kg

SODIUM ALKYLARYL SULFONATE (CAS 68081-81-2)

Acute **Dermal** 

Solid

LD50 Rabbit 2000 mg/kg

Oral Solid

LD50 Rat 1080 mg/kg

Causes skin irritation. Skin corrosion/irritation Serious eye damage/eye Causes eye irritation.

irritation

Respiratory or skin sensitization Canada - Alberta OELs: Irritant

> MONOETHANOLAMINE (CAS 141-43-5) Irritant

Respiratory sensitization Not a respiratory sensitizer.

This product is not expected to cause skin sensitization. Skin sensitization

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Oil /Distillate meets the EU requirement of less than 3% (w/w) DMSO extract for total polycyclic

aromatic compound (PAC) using IP 346.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -Not classified.

repeated exposure

Material name: CIMSTAR® 10-560VLC SDS Canada Aspiration hazard Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful. May be harmful if absorbed through skin.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not

been observed in humans.

**Further information**The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components Species Test Results

ALKANES C14-16, CHLORO (CAS 63449-39-8)

Aquatic Acute

Fish LC50 Bluegill (Lepomis macrochirus) > 0.1 mg/l, 96 hours

AMINOMETHYLPROPANOL (CAS 124-68-5)

Aquatic

Acute

Crustacea EC50 Daphnia 193 mg/l, 48 hours Fish LC50 Bluegill (Lepomis macrochirus) 190 mg/l, 96 hours

MONOETHANOLAMINE (CAS 141-43-5)

Aquatic

Fish LC50 Rainbow trout, donaldson trout 114 - 196 mg/l, 96 hours

(Oncorhynchus mykiss)

Acute

Crustacea EC50 Daphnia 65 mg/l, 48 hours ECHA

MONOISOPROPANOLAMINE (CAS 78-96-6)

**Aquatic** 

Fish LC50 Goldfish (Carassius auratus) 210 mg/l, 96 hours

Acute

Crustacea EC50 Daphnia 109 mg/l, 48 hours

SODIUM ALKYLARYL SULFONATE (CAS 68081-81-2)

Aquatic

Acute

Crustacea EC50 Daphnia 2.9 mg/l, 48 hours
Fish LC50 Bluegill (Lepomis macrochirus) 1.67 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

**Bioaccumulative potential** 

Partition coefficient n-octanol / water (log Kow)

MONOETHANOLAMINE -1.31 MONOISOPROPANOLAMINE -0.93

**Bioconcentration factor (BCF)** 

MONOETHANOLAMINE < 3.2, ESTIMATED

Mobility in soil This product is miscible in water.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous waste code**The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

 Material name: CIMSTAR® 10-560VLC
 SDS Canada

 Version #: 09
 Revision date: 02-02-2021
 Issue date: 12-01-2016
 7 / 10

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## 14. Transport information

**TDG** 

UN3082 **UN number** 

**UN proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALKANES C14-16,

CHLORO), MARINE POLLUTANT

Transport hazard class(es)

Class 9 Subsidiary risk Ш Packing group **Environmental hazards** Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA

**UN** number UN3082

**UN** proper shipping name Transport hazard class(es) Environmentally hazardous substance, liquid, n.o.s. (ALKANES C14-16, CHLORO)

Class 9 Subsidiary risk Packing group Ш **Environmental hazards** Yes **ERG Code** 91

Other information

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only

Allowed with restrictions.

**IMDG** 

UN3082 **UN number** 

**UN proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALKANES C14-16,

CHLORO), MARINE POLLUTANT (ALKANES C14-16, CHLORO)

Transport hazard class(es)

**Class** 9 Subsidiary risk Ш Packing group **Environmental hazards** 


Marine pollutant Yes **EmS** F-A. S-F

ALKANES C14-16, CHLORO

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and Not established.

the IBC Code



Material name: CIMSTAR® 10-560VLC SDS Canada 8 / 10 Version #: 09 Revision date: 02-02-2021 Issue date: 12-01-2016

#### Marine pollutant



**General information** IMDG Regulated Marine Pollutant.

## 15. Regulatory information

**Canadian regulations** 

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

#### **Controlled Drugs and Substances Act**

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

**Greenhouse Gases** 

Not listed.

**Precursor Control Regulations** 

Not regulated.

## International regulations

#### **Stockholm Convention**

Not applicable.

#### **Rotterdam Convention**

Not applicable.

#### **Kyoto protocol**

Not applicable.

## **Montreal Protocol**

Not applicable.

## **Basel Convention**

Not applicable.

## **International Inventories**

Country(s) or region	Inventory name	On inventory or exempt (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

#### 16. Other information

Issue date 12-01-2016 02-02-2021 **Revision date** 

Version # 09

Material name: CIMSTAR® 10-560VLC 9 / 10

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

Version #: 09 Revision date: 02-02-2021 Issue date: 12-01-2016 NFPA ratings Health: 1

Flammability: 0 Instability: 0

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

**Revision information** Physical & Chemical Properties: Multiple Properties

 Material name: CIMSTAR® 10-560VLC
 SDS Canada

 Version #: 09
 Revision date: 02-02-2021
 Issue date: 12-01-2016
 10 / 10