SAFETY DATA SHEET



1. Identification

Product identifier CIMTECH® 285Z

METALWORKING FLUID

Other means of identification

SDS number Not applicable Product code B00361

Recommended use METALWORKING FLUID

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name CIMCOOL® Industrial Products LLC

3000 Disney Street Cincinnati, Ohio 45209

Telephone (General

Information)

513-458-8100

Emergency telephone

number

1-800-424-9300 (CHEMTREC)

Emergency telephone number (outside USA)

1-703-527-3887 (CHEMTREC)

Supplier

Company name DUBOIS CHEMICAL CANADA INC dba CIMCOOL® Canada

Address B1 – 1175 Appleby Line

Burlington, ON L7L 5H9 Canada

Telephone (General

Information)

905-319-1919

Emergency telephone number (outside USA)

1-703-527-3887 (CHEMTREC)

Supplier Not available.

2. Hazard identification

Physical hazardsCorrosive to metalsCategory 1Health hazardsSkin irritationCategory 2Serious eye irritationCategory 2

Environmental hazards Not classified.

Label elements



Signal word Warning

Hazard statement May be corrosive to metals. Causes skin irritation. Causes serious eye irritation.

Precautionary statement

Prevention Keep only in original packaging. Wash thoroughly after handling. Wear eye protection/face

protection. Wear protective gloves.

Material name: CIMTECH® 285Z SDS Canada

Version #: 08 Revision date: 01-03-2023 Issue date: 04-26-2018

Response IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Absorb spillage to prevent material-damage.

Storage Store in a corrosion resistant container with a resistant inner liner.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Supplemental information 3.6% of the mixture consists of component(s) of unknown acute inhalation toxicity.

The classified hazards shown on this SDS are associated with the product concentrate. These

hazards are not expected under recommended use conditions and dilution.

Use in manufacturing processes only.

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|---------------------------------|--------------------------|------------|----------|
| TRIETHANOLAMINE | | 102-71-6 | 5 - 10 |
| MONOETHANOLAMINE | | 141-43-5 | 1 - 5 |
| MONOISOPROPANOLAMINE | | 78-96-6 | 1 - 5 |
| Other components below reportab | le levels | | 90 - 100 |

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist. Under normal conditions of

intended use, this material is not expected to be an inhalation hazard.

Skin contact Rinse skin with water. If skin irritation or rash occurs: Get medical advice/attention. Wash

contaminated clothing before reuse.

Eye contact Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical

attention if irritation develops and persists.

Ingestion Rinse mouth thoroughly. Drink 1 or 2 glasses of water. Do not induce vomiting. If vomiting occurs,

keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if

you feel unwell.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

General information

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation.

If exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in

attendance.

5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Use extinguishing measures that

are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing

media

Not applicable, non-combustible.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Wear suitable protective equipment.

Fire fighting equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials. In the

event of fire and/or explosion do not breathe fumes.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Local authorities should be advised if significant spillages cannot be contained. This product is miscible in water. Prevent entry into waterways, sewer, basements or confined areas. Clean up in accordance with all applicable regulations.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb spillage to prevent material damage. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

7. Handling and storage

Precautions for safe handling

Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry place out of direct sunlight. Store in corrosive resistant container with a resistant inner liner. Store in tightly closed container. Keep only in the original container. If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

| Components | Туре | Value | |
|------------------------------------|------|---------|--|
| MONOETHANOLAMINE (CAS 141-43-5) | STEL | 6 ppm | |
| | TWA | 3 ppm | |
| TRIETHANOLAMINE (CAS 102-71-6) | TWA | 5 mg/m3 | |

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

| Components | Туре | Value | |
|------------------------------------|------|-----------|--|
| MONOETHANOLAMINE (CAS 141-43-5) | STEL | 15 mg/m3 | |
| | | 6 ppm | |
| | TWA | 7.5 mg/m3 | |
| | | 3 ppm | |
| TRIETHANOLAMINE (CAS 102-71-6) | TWA | 5 mg/m3 | |

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

| Components | Туре | Value |
|------------------------------------|------|---------|
| MONOETHANOLAMINE (CAS 141-43-5) | STEL | 6 ppm |
| | TWA | 3 ppm |
| TRIETHANOLAMINE (CAS 102-71-6) | TWA | 5 mg/m3 |

Material name: CIMTECH® 285Z SDS Canada

Version #: 08 Revision date: 01-03-2023 Issue date: 04-26-2018

| Components | Type | C many |
|-------------------------------------|--|---|
| MONOETHANOLAMINE (CAS 141-43-5) | STEL | 6 ppm |
| | TWA | 3 ppm |
| TRIETHANOLAMINE (CAS 102-71-6) | TWA | 5 mg/m3 |
| | ntrol of Exposure to Biological or Che | mical Agents) |
| Components | Туре | Value |
| MONOETHANOLAMINE (CAS 141-43-5) | STEL | 6 ppm |
| | TWA | 3 ppm |
| TRIETHANOLAMINE (CAS 102-71-6) | TWA | 3.1 mg/m3 |
| | | 0.5 ppm |
| | istry of Labor - Regulation respecting | g occupational health and safety) |
| Components | Туре | Value |
| MONOETHANOLAMINE (CAS 141-43-5) | STEL | 15 mg/m3 |
| | | 6 ppm |
| | TWA | 7.5 mg/m3 |
| | | 3 ppm |
| TRIETHANOLAMINE (CAS 102-71-6) | TWA | 5 mg/m3 |
| Canada. Saskatchewan OEL Components | s (Occupational Health and Safety Ro. Type | egulations, 1996, Table 21) Value |
| MONOETHANOLAMINE (CAS 141-43-5) | 15 minute | 6 ppm |
| | 8 hour | 3 ppm |
| TRIETHANOLAMINE (CAS 102-71-6) | 15 minute | 10 mg/m3 |
| | 8 hour | 5 mg/m3 |
| ogical limit values | No biological exposure limits noted for | the ingredient(s). |
| propriate engineering trols | Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safe shower. | |
| vidual protection measures, | such as personal protective equipme | ent |
| Eye/face protection | Do not get in eyes. Wear safety glasse recommended. | es with side shields (or goggles). Eye wash fountain is |
| Skin protection | | |
| Hand protection | Nitrile gloves are recommended. | |
| Other | Wear appropriate chemical resistant c | lothing. |
| Respiratory protection | In case of insufficient ventilation, wear suitable respiratory equipment. | |
| Thermal hazards | Wear appropriate thermal protective c | lothing, when necessary. |
| eral hygiene | When using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Always obsergood personal hygiene measures, such as washing after handling the material and before eating drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. | |

9. Physical and chemical properties

Appearance CLEAR
Physical state Liquid.

Material name: CIMTECH® 285Z SDS Canada

Version #: 08 Revision date: 01-03-2023 Issue date: 04-26-2018

Form Liquid.
Color Not available.
Odor CHEMICAL
Odor threshold Not available.

pH 9.9

Melting point/freezing point $< 22 \,^{\circ}\text{F} (< -5.6 \,^{\circ}\text{C})$ Initial boiling point and boiling $> 212 \,^{\circ}\text{F} (> 100 \,^{\circ}\text{C})$

range

Flash point Not Applicable

Evaporation rate Like water when diluted

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density 1.03

Solubility(ies)

Solubility (water) 100 % Water Miscible

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Bulk density 8.62 lbs/gal @ 60°F
Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

pH in aqueous solution 9.0 @ 5%

Specific gravity 1.033

VOC ASTM D2369 11 %

10. Stability and reactivity

Reactivity May be corrosive to metals.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Heat, flames and sparks. Contact with incompatible materials.

Incompatible materials Acids. Oxidizing agents. Metals. Do not add sodium nitrite or other nitrosating agents which may

form cancer causing nitrosamines.

Hazardous decomposition

products

Smoke, fumes, oxides of nitrogen, and oxides of carbon

11. Toxicological information

Information on likely routes of exposure

Inhalation Health injuries are not known or expected under normal use.

Skin contactCauses skin irritation.Eye contactCauses eye irritation.

Ingestion Expected to be a low ingestion hazard. Health injuries are not known or expected under normal

use.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision. Skin irritation.

Information on toxicological effects

Acute toxicity

Components Species Test Results

MONOETHANOLAMINE (CAS 141-43-5)

Acute
Dermal
Liquid

LD50 Rabbit 2504 mg/kg

Oral Liquid

LD50 Rat 1089 mg/kg

MONOISOPROPANOLAMINE (CAS 78-96-6)

Acute
Dermal
Liquid

LD50 Rabbit 1576 mg/kg

TRIETHANOLAMINE (CAS 102-71-6)

Acute
Dermal
Liquid

LD50 Rabbit > 2000 mg/kg

Oral Liquid

LD50 Rat 4190 mg/kg

Skin corrosion/irritationCauses skin irritation.Serious eye damage/eyeCauses eye irritation.

irritation

Respiratory or skin sensitization

Canada - Alberta OELs: Irritant

MONOETHANOLAMINE (CAS 141-43-5) Irritant TRIETHANOLAMINE (CAS 102-71-6) Irritant

Canada - Quebec OELs: Sensitizer

TRIETHANOLAMINE (CAS 102-71-6) Sensitizer.

Respiratory sensitization

Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

TRIETHANOLAMINE (CAS 102-71-6) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful. May be harmful if absorbed through skin.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not

been observed in humans.

Further information The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

| Components | | Species | Test Results |
|-----------------|-------------------|---|------------------------------|
| MONOETHANOLAMI | NE (CAS 141-43-5) | | |
| Aquatic | | | |
| Fish | LC50 | Rainbow trout,donaldson trout (Oncorhynchus mykiss) | 114 - 196 mg/l, 96 hours |
| Acute | | | |
| Crustacea | EC50 | Daphnia | 65 mg/l, 48 hours ECHA |
| MONOISOPROPANO | DLAMINE (CAS 78-9 | 96-6) | |
| Aquatic | | | |
| Fish | LC50 | Goldfish (Carassius auratus) | 210 mg/l, 96 hours |
| Acute | | | |
| Crustacea | EC50 | Daphnia | 109 mg/l, 48 hours |
| TRIETHANOLAMINE | (CAS 102-71-6) | | |
| Aquatic | | | |
| Crustacea | EC50 | Water flea (Ceriodaphnia dubia) | 565.2 - 658.3 mg/l, 48 hours |
| Acute | | | |
| Fish | LC50 | Bluegill (Lepomis macrochirus) | 450 - 1000 mg/l, 96 hours |
| | | | |

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

MONOETHANOLAMINE -1.31 MONOISOPROPANOLAMINE -0.93-2.3 **TRIETHANOLAMINE**

Mobility in soil This product is miscible with water.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

TDG

UN number UN3267

CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (MONOETHANOLAMINE, **UN proper shipping name**

TRIETHANOLAMINE)

Transport hazard class(es)

Class

Material name: CIMTECH® 285Z SDS Canada Version #: 08 Revision date: 01-03-2023 Issue date: 04-26-2018

Subsidiary risk Packing group III
Environmental hazards No

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA

UN number UN3267

Transport hazard class(es)

Class 8
Subsidiary risk Packing group III
Environmental hazards No
ERG Code 8L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo Allowed with restrictions.

aircraft

Cargo aircraft only Allowed with restrictions.

IMDG

UN number UN3267

UN proper shipping name CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (MONOETHANOLAMINE,

TRIETHANOLAMINE)

Transport hazard class(es)

Class 8
Subsidiary risk Packing group III
Environmental hazards

Marine pollutant No S F-A, S-B

EmS F-A, S-B

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Not established.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

IATA; IMDG; TDG



15. Regulatory information

Canadian regulations This product has been classified in accordance with the hazard criteria of the HPR and the SDS

contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories Country(s) or region

| ountry(o) or region | inventory name | on inventory or exempt (yee, no, |
|---------------------|--|----------------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | No |
| Canada | Non-Domestic Substances List (NDSL) | Yes |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | No |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | No |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | No |

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

Toxic Substances Control Act (TSCA) Inventory

16. Other information

 Issue date
 04-26-2018

 Revision date
 01-03-2023

Version # 08

United States & Puerto Rico

NFPA ratings Health: 1

Flammability: 0 Instability: 0

Inventory name

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

On inventory or exempt (yes/no)*

Yes

9/9

materials or in any process, unless specified in the text.

Revision information Product and Company Identification: Product and Company Identification

Hazard identification: Hazard statement Hazard identification: Prevention Hazard identification: Response

Composition / Information on Ingredients: Ingredients Fire-fighting measures: Suitable extinguishing media Handling and storage: Precautions for safe handling

Exposure controls/personal protection: General hygiene considerations

Physical & Chemical Properties: Multiple Properties

Toxicological information: Corrosivity

Toxicological information: Reproductivity

Toxicological information: Specific target organ toxicity - single exposure

Transport information: General information

Material Attributes & Uses; Experimental Data: Experimental Data