



1. Identification

in adminibution		
Product identifier	MILCOOL® GP	
	METALWORKING FLUID	
Other means of identification		
SDS number	Not applicable	
Product code	B01060	
Recommended use	METALWORKING FLUID	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/	Distributor information	
Company name	CIMCOOL® Industrial Products LLC	
	3000 Disney Street	
	Cincinnati, Ohio 45209	
Telephone (General Information)	513-458-8100	
Emergency telephone number	1-800-424-9300 (CHEMTREC)	
Emergency telephone number (outside USA)	1-703-527-3887 (CHEMTREC)	
Supplier		
Company name	Milacron Canada Corp.	
Address	1175 Appleby Line Road, Unit B-1	
	Burlington Ontario L7L5H9 Canada	
Telephone (General Information)	905-319-1919	
Emergency telephone number (outside USA)	1-703-527-3887 (CHEMTREC)	
Supplier	Not available.	
2. Hazard(s) identification		
Physical hazards	Not classified.	
Health hazards	Serious eye irritation	Category 2
	Sensitization, skin	Category 1
Environmental hazards	Not classified.	
Label elements		
Signal word	Warning	

Signal word Hazard statement Precautionary statement Prevention

Causes serious eye irritation. May cause an allergic skin reaction.

Avoid breathing mist or vapor. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear eye protection/face protection. Wear protective gloves.

Response	IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Other hazards	None known.
Supplemental information	The classified hazards shown on this SDS are associated with the product concentrate. These hazards are not expected under recommended use conditions and dilution.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
SEVERELY-HYDROTREATED NAPHTHENIC PETROLEUM DISTILLATES		64742-52-5	5 - 10
ISOPROPANOLAMINE		78-96-6	1 - 5
TRIAZINETRIETHANOL		4719-04-4	1 - 5
Other components below reportable	e levels		80 - 100

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures Inhalation Move to fresh air. Call a physician if symptoms develop or persist. Under normal conditions of intended use, this material is not expected to be an inhalation hazard. Skin contact Rinse skin with water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical Eye contact attention if irritation develops and persists. Rinse mouth thoroughly. Drink 1 or 2 glasses of water. Do not induce vomiting. If vomiting occurs, Ingestion keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell. Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing, Most important redness, swelling, and blurred vision. May cause an allergic skin reaction. symptoms/effects, acute and delayed Indication of immediate Provide general supportive measures and treat symptomatically. Symptoms may be delayed. medical attention and special treatment needed **General information** If exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media	Foam. Dry chemical powder. Carbon dioxide (CO2). Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Wear suitable protective equipment.
Fire fighting equipment/instructions	Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials. In the event of fire and/or explosion do not breathe fumes.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

V. Accidental release mea	
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Local authorities should be advised if significant spillages cannot be contained. This product is miscible in water. Clean up in accordance with all applicable regulations.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.
7. Handling and storage	
Precautions for safe handling	Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Do not allow material to freeze. If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use.

8. Exposure controls/personal protection

Occupational exposure limits

ACGIH			
	Туре	Value	
SEVERELY-HYDROTREAT ED NAPHTHENIC PETROLEUM DISTILLATES (CAS 64742-52-5)	TWA	5 mg/m3	
Biological limit values	No biological exposure limits noted	for the ingredient(s).	
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency showers are recommended.		
Individual protection measures,	such as personal protective equipr	nent	
Eye/face protection	Wear safety glasses with side shields (or goggles). Do not get in eyes. Eye wash fountain is recommended.		
Skin protection			
Hand protection	Nitrile gloves are recommended.		
Other	Wear appropriate chemical resistant clothing.		
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
General hygiene considerations	When using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		
9. Physical and chemical	properties		

Appearance	CLEAR
Physical state	Liquid.

Form	Liquid.		
Color	Not available.		
Odor	CHEMICAL		
Odor threshold	Not available.		
рН	10.0		
Melting point/freezing point	< 30 °F (< -1.1 °C)		
Initial boiling point and boiling range	> 212 °F (> 100 °C)		
Flash point	Not Applicable		
Evaporation rate	Like water when diluted		
Flammability (solid, gas)	Not applicable.		
Upper/lower flammability or exp	losive limits		
Flammability limit - lower (%)	-		
Flammability limit - upper (%)	Not available.		
Explosive limit - lower (%)	Not available.		
Explosive limit - upper (%)	Not available.		
Vapor pressure	Not available.		
Vapor density	Not available.		
Relative density	Not available.		
Solubility(ies)			
Solubility (water)	100 % Water Miscible		
Partition coefficient (n-octanol/water)	Not available.		
Auto-ignition temperature	Not available.		
Decomposition temperature	Not available.		
Viscosity	Not available.		
Other information			
Explosive properties	Not explosive.		
Oxidizing properties	Not oxidizing.		
pH in aqueous solution	8.7 @ 10%		
Specific gravity	1.000		
VOC ASTM D2369	7 %		
10 Stability and reactivity			

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Heat, flames and sparks. Contact with incompatible materials.
Incompatible materials	Do not add sodium nitrite or other nitrosating agents which may form cancer causing nitrosamines. Acids. Oxidizing agents.
Hazardous decomposition products	Smoke, fumes, oxides of nitrogen, and oxides of carbon

11. Toxicological information

Information on likely routes of exposure

Inhalation	Not classified.	
Skin contact	May cause an allergic skin reaction.	
Eye contact	ct Causes eye irritation.	
Ingestion	Not classified.	

Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an allergic skin reaction.

Information on toxicological effects

Acute toxicity					
Components	Species	Test Results			
SOPROPANOLAMINE (CAS 78-96-6)					
Acute					
Dermal					
Liquid					
LD50	Rabbit	1576 mg/kg			
Oral					
Liquid		0010 //			
LD50	Rat	2813 mg/kg			
• ·	APHTHENIC PETROLEUM DISTILLATE	S (CAS 64742-52-5)			
Acute					
Inhalation					
<i>Mist</i> LC50	Rat	2 18 5 53 mg/l 4 hr			
TRIAZINETRIETHANOL (CAS 47		2.18 - 5.53 mg/l, 4 hr			
Acute	19-04-4)				
Dermal					
Liquid					
LD50	Rat	4000 mg/kg			
Oral		1000 mg/ng			
Liquid					
LD50	Rat	1000 mg/kg			
	be based on additional component data n	ot shown.			
Skin corrosion/irritation	Not classified.				
Serious eye damage/eye irritation	Causes eye irritation.	Causes eye irritation.			
Respiratory or skin sensitizatio					
Respiratory sensitization	Not a respiratory sensitizer.				
Skin sensitization	May cause an allergic skin reaction.				
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.				
Carcinogenicity	This product is not considered to be a	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.			
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.				
Specific target organ toxicity - single exposure	Not classified.				
Specific target organ toxicity - repeated exposure	Not classified.				
Aspiration hazard	Not an aspiration hazard.				
Chronic effects	Not classified.				
Further information	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.				
12. Ecological information	n				
Ecotoxicity		sk of hazardous effects to the environment			
	Contains a substance which causes risk of hazardous effects to the environment.				

Components		Species	Test Results
ISOPROPANOLAMINE (CAS	78-96-6)		
Aquatic			
Fish	LC50	Goldfish (Carassius auratus)	210 mg/l, 96 hours
Acute			
Crustacea	EC50	Daphnia	109 mg/l, 48 hours
TRIAZINETRIETHANOL (CAS	5 4719-04-4	4)	
Aquatic			
Acute	5050		
	EC50	Daphnia	11.9 mg/l, 48 hours ECHA
Fish	LC50	Fish	16 - 240 mg/l, 96 hours ECHA
Partition coefficient n-octan ISOPROPANOLAMINE TRIAZINETRIETHANOL bility in soil	This prod	-0.93 -2 luct is miscible in water.	deplotion photochomical azona creation
ier adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
. Disposal consideration	าร		
posal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.		
cal disposal regulations	Dispose in accordance with all applicable regulations.		
zardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
ste from residues / unused oducts	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		
ntaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.		
Transport information			

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated. Export Control List (CEPA 1999, Schedule 3) Not listed. Greenhouse Gases Not listed. Precursor Control Regulations Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable. Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory or exempt (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information

Issue date Revision date	06-05-2017 05-10-2018	
Version #	03	
NFPA ratings	Health: 1 Flammability: 0 Instability: 0	
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.	
Revision information	This document has undergone significant changes and should be reviewed in its entirety.	
Revision information	This document has undergone significant changes and should be reviewed in its entirety.	