

SAFETY DATA SHEET

1. Identification

1. Identification		
Product identifier	MILFORM® 6265	
	STAMPING AND DRAWING FLUID	
Other means of identification		
SDS number	Not applicable	
Product code	B00462	
Recommended use	STAMPING AND DRAWING FLUID	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/	Distributor information	
Company name	CIMCOOL® Industrial Products LLC	
	3000 Disney Street	
	Cincinnati, Ohio 45209	
Telephone (General Information)	513-458-8100	
Emergency telephone number	1-800-424-9300 (CHEMTREC)	
Emergency telephone number (outside USA)	1-703-527-3887 (CHEMTREC)	
Supplier		
Company name	Milacron Canada Corp.	
Address	1175 Appleby Line Road, Unit B-1	
	Burlington Ontario L7L5H9 Canada	
	5	
Telephone (General Information)	905-319-1919	
Emergency telephone number (outside USA)	1-703-527-3887 (CHEMTREC)	
Supplier	Not available.	
2. Hazard identification		
Physical hazards	Not classified.	
Health hazards	Sensitization, skin	Category 1
Environmental hazards	Not classified.	
Label elements		
Signal word	Warning	
Hazard statement	May cause an allergic skin reaction.	
Precautionary statement		

 Precautionary statement

 Prevention
 Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves.

 Response
 IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

 Storage
 Store away from incompatible materials.

 Disposal
 Dispose of contents/container in accordance with local/regional/national/international regulations.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
TRIETHANOLAMINE		102-71-6	10 - 30
TRIAZINETRIETHANOL		4719-04-4	1 - 5
4-(2-NITROBUTYL)MORPHOLINE		2224-44-4	0.1 - 1
Other components below reportable	e levels		60 - 80

Other components below reportable levels

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist. Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Rinse skin with water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth thoroughly. Drink 1 or 2 glasses of water. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an allergic skin reaction.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Symptoms may be delayed.
General information	If exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.
5. Fire-fighting measures	
Suitable extinguishing media	Alcohol resistant foam. Dry powder. Carbon dioxide (CO2). Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from During fire, gases hazardous to health may be formed.

Wear suitable protective equipment.

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials. In the event of fire and/or explosion do not breathe fumes.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Special protective equipment

equipment/instructions

and precautions for firefighters

the chemical

Fire fighting

Personal precautions, Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapors. Do protective equipment and not touch damaged containers or spilled material unless wearing appropriate protective clothing. emergency procedures Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	Local authorities should be advised if significant spillages cannot be contained. This product is miscible in water. Clean up in accordance with all applicable regulations.		
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.		
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.		
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.		
7. Handling and storage			
Precautions for safe handling	Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not get in eyes, on skin, or on clothing. Avoid breathing mist/vapors. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.		
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use. Store away from incompatible materials (see Section 10 of the SDS).		
8 Exposure controls/personal protection			

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3
Canada. Alberta OELs (Occupation	nal Health & Safety Code, Sche	dule 1, Table 2)
Components	Туре	Value
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3
Canada. British Columbia OELs. (Safety Regulation 296/97, as amer		for Chemical Substances, Occupational Health and
Components	Туре	Value
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3
Canada. Manitoba OELs (Reg. 217	/2006, The Workplace Safety A	nd Health Act)
Components	Туре	Value
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3
Canada. Ontario OELs. (Control of		•
Components	Туре	Value
TRIETHANOLAMINE (CAS 102-71-6)	TWA	3.1 mg/m3
		0.5 ppm
Canada. Quebec OELs. (Ministry c	of Labor - Regulation respecting	g occupational health and safety)
Components	Туре	Value
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3
Canada. Saskatchewan OELs (Oco	cupational Health and Safety Re	egulations, 1996, Table 21)
Components	Туре	Value
TRIETHANOLAMINE (CAS 102-71-6)	15 minute	10 mg/m3
	8 hour	5 mg/m3

Biological limit values	No biological exposure limits noted for the ingredient(s).		
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency showers are recommended.		
Individual protection measures,	such as personal protective equipment		
Eye/face protection	Do not get in eyes. Wear safety glasses with side shields (or goggles). Eye wash fountain is recommended.		
Skin protection			
Hand protection	Nitrile gloves are recommended.		
Other	Wear appropriate chemical resistant clothing.		
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
General hygiene considerations	When using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		

9. Physical and chemical properties

5. Thysical and chemical p	n opoi noo
Appearance	CLEAR
Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	CHEMICAL
Odor threshold	Not available.
рН	8.2
Melting point/freezing point	< 32 °F (< 0 °C)
Initial boiling point and boiling range	> 212 °F (> 100 °C)
Flash point	Not Applicable
Evaporation rate	Like water when diluted
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	100 % Water Miscible
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
pH in aqueous solution	8.0 @ 10%

Specific gravity	1.044
VOC ASTM D2369	1 %

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.		
Chemical stability	Material is stable under normal conditions.		
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.		
Conditions to avoid	Heat, flames and sparks. Contact with incompatible materials.		
Incompatible materials	Do not add sodium nitrite or other nitrosating agents which may form cancer causing nitrosamines. Acids. Oxidizing agents.		
Hazardous decomposition products	Smoke, fumes, oxides of nitrogen, and oxides of carbon		

11. Toxicological information

Information on likely routes of exposure			
Inhalation	Not classified.		
Skin contact	May cause an allergic skin reaction.		
Eye contact	Not classified.		
Ingestion	Not classified.		
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an allergic skin reaction.		

Information on toxicological effects

Acute toxicity

Components	Species	Test Results
TRIAZINETRIETHANOL (CAS 4	719-04-4)	
Acute		
Dermal		
Liquid		
LD50	Rat	4000 mg/kg
Oral		
Liquid		
LD50	Rat	1000 mg/kg
TRIETHANOLAMINE (CAS 102-	-71-6)	
Acute		
Dermal		
Liquid		
LD50	Rabbit	> 2000 mg/kg
Oral		
Liquid		
LD50	Rat	4190 mg/kg
Skin corrosion/irritation	Not classified.	
Serious eye damage/eye irritation	Not classified.	
Respiratory or skin sensitization	on	
Canada - Alberta OELs: Irı	ritant	
TRIETHANOLAMINE (CAS 102-71-6)	Irritant
Canada - Quebec OELs: S	ensitizer	
TRIETHANOLAMINE (CAS 102-71-6)	Sensitizer.
Respiratory sensitization	Not a respiratory sense	sitizer.
Skin sensitization	May cause an allergic	skin reaction.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Material name: MILEORM® 6265		SDS Canad

Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.		
IARC Monographs. Overall Evaluation of Carcinogenicity			
TRIETHANOLAMINE (CA	E (CAS 102-71-6) 3 Not classifiable as to carcinogenicity to humans.		
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Not classified.		
Further information	The classification for health and methods and test data, if availab	environmental hazards is derived by a combination of calculation le.	

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
TRIAZINETRIETHANOL (C	AS 4719-04-4)	
Aquatic			
Acute			
Crustacea	EC50	Daphnia	11.9 mg/l, 48 hours ECHA
Fish	LC50	Fish	16 - 240 mg/l, 96 hours ECHA
TRIETHANOLAMINE (CAS	102-71-6)		
Aquatic			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	565.2 - 658.3 mg/l, 48 hours
Acute			
Fish	LC50	Bluegill (Lepomis macrochirus)	450 - 1000 mg/l, 96 hours
sistence and degradability	No data is	available on the degradability of any ingre	edients in the mixture.
accumulative potential			
Partition coefficient n-octa TRIAZINETRIETHANOL TRIETHANOLAMINE	anol / water (I	og Kow) -2 -2.3	
bility in soil	This produ	This product is miscible in water.	
ner adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
. Disposal consideration	ons		
posal instructions		d reclaim or dispose in sealed containers a container in accordance with local/regional/	at licensed waste disposal site. Dispose of /national/international regulations.

	contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

TDG

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

anadian regulations	This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.		
Controlled Drugs and Subst	ances Act		
Not regulated.			
Export Control List (CEPA 1	999, Schedule 3)		
Not listed.			
Greenhouse Gases			
Not listed. Precursor Control Regulatio	ns		
Not regulated.			
ternational regulations			
Stockholm Convention			
Not applicable. Rotterdam Convention			
Not applicable. Kyoto protocol			
Not applicable. Montreal Protocol			
Not applicable. Basel Convention			
Not applicable.			
ternational Inventories			
Country(s) or region	Inventory name	On inventory or exempt (yes/no) [*]	
Australia	Australian Inventory of Chemical Substances (AICS)	No	
Canada	Domestic Substances List (DSL)	No	
Canada	Non-Domestic Substances List (NDSL)	Yes	
China	Inventory of Existing Chemical Substances in China (IECSC)	No	
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Νο	
Europe	European List of Notified Chemical Substances (ELINCS)	No	
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No	
Korea	Existing Chemicals List (ECL)	No	
New Zealand	New Zealand Inventory	No	
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No	
	(11888)		

16. Other information

Issue date	05-07-2017
Revision date	11-05-2019
Version #	02
NFPA ratings	Health: 1 Flammability: 0 Instability: 0

	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.