

SAFETY DATA SHEET

1. Identification

1. Identification	
Product identifier	MILFORM® 6700
	STAMPING AND DRAWING FLUID
Other means of identification	
SDS number	Not applicable
Product code	B00329
Recommended use	STAMPING AND DRAWING FLUID
Recommended restrictions	None known.
Manufacturer/Importer/Supplier	r/Distributor information
Company name	CIMCOOL® Industrial Products LLC
	3000 Disney Street
	Cincinnati, Ohio 45209
Telephone (General Information)	513-458-8100
Emergency telephone number	1-800-424-9300 (CHEMTREC)
Emergency telephone number (outside USA)	1-703-527-3887 (CHEMTREC)
Supplier	
Company name	Milacron Canada Corp.
Address	1175 Appleby Line Road, Unit B-1
	Burlington Ontario L7L5H9 Canada
Telephone (General Information)	905-319-1919
Emergency telephone number (outside USA)	1-703-527-3887 (CHEMTREC)
Supplier	Not available.
2. Hazard identification	
Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Other hazards	None known.
Supplemental information	Use in manufacturing processes only.

3. Composition/informatio	on on ingreaients				
Mixtures					
Chemical name	Common name and synonyms	CAS number	%		
TRIETHANOLAMINE		102-71-6	10 - 30		
AMIDES, C14-18, N-(2-HYDROXYPROPYL)		68855-61-8	1 - 5		
Other components below report	table levels		90 - 100		
All concentrations are in percent b	y weight unless ingredient is a gas. Gas concer	ntrations are in percent by volu	ime.		
4. First-aid measures					
Inhalation	Move to fresh air. Call a physician if symptom intended use, this material is not expected to		ormal conditions of		
Skin contact	Rinse skin with water. If skin irritation or rash contaminated clothing before reuse.	Rinse skin with water. If skin irritation or rash occurs: Get medical advice/attention. Wash			
Eye contact	Rinse with water. Remove contact lenses, if pattention if irritation develops and persists.	Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical			
Ingestion	Rinse mouth thoroughly. Drink 1 or 2 glasses of water. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.				
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporar redness, swelling, and blurred vision.	y irritation. Symptoms may inc	lude stinging, tearing,		
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and tre	at symptomatically. Symptoms	s may be delayed.		
General information	If exposed or concerned: Get medical advice, attendance.	/attention. Show this safety da	ta sheet to the doctor i		
5. Fire-fighting measures					
Suitable extinguishing media	Water fog. Alcohol resistant foam. Dry powde measures that are appropriate to local circum				
Unsuitable extinguishing media	Not applicable, non-combustible.				
Specific hazards arising from the chemical	During fire, gases hazardous to health may b	e formed.			
Special protective equipment and precautions for firefighters	Wear suitable protective equipment.				
Fire fighting equipment/instructions	Move containers from fire area if you can do	so without risk.			
Specific methods	Use standard firefighting procedures and con event of fire and/or explosion do not breathe		olved materials. In the		
General fire hazards	No unusual fire or explosion hazards noted.				

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Wear appropriate personal protective equipment. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Local authorities should be advised if significant spillages cannot be contained. This product is miscible in water. Clean up in accordance with all applicable regulations.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.
Material a second MILEODM® 0700	

7. Handling and storage

Precautions for safe handling

Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

US. ACGIH Threshold Limit Components	Туре	Value
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3
Canada. Alberta OELs (Occ Components	upational Health & Safety Code, Sch Type	edule 1, Table 2) Value
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3
Canada. British Columbia C Safety Regulation 296/97, a		for Chemical Substances, Occupational Health and
Components	Туре	Value
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3
Canada. Manitoba OELs (Re Components	eg. 217/2006, The Workplace Safety / Type	And Health Act) Value
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3
Canada. Ontario OELs. (Co Components	ntrol of Exposure to Biological or Ch Type	emical Agents) Value
	TWA	2.1 mg/m2
TRIETHANOLAMINE (CAS 102-71-6)	TWA	3.1 mg/m3 0.5 ppm
102-71-6)	nistry of Labor - Regulation respectir Type	0.5 ppm
102-71-6) Canada. Quebec OELs. (Min	nistry of Labor - Regulation respectir	0.5 ppm ng occupational health and safety)
102-71-6) Canada. Quebec OELs. (Min Components TRIETHANOLAMINE (CAS 102-71-6)	nistry of Labor - Regulation respectir Type	0.5 ppm ng occupational health and safety) Value 5 mg/m3
102-71-6) Canada. Quebec OELs. (Min Components TRIETHANOLAMINE (CAS 102-71-6) Canada. Saskatchewan OE	nistry of Labor - Regulation respectir Type TWA Ls (Occupational Health and Safety F	0.5 ppm ng occupational health and safety) Value 5 mg/m3 Regulations, 1996, Table 21)
102-71-6) Canada. Quebec OELs. (Min Components TRIETHANOLAMINE (CAS 102-71-6) Canada. Saskatchewan OEL Components TRIETHANOLAMINE (CAS	nistry of Labor - Regulation respectin Type TWA Ls (Occupational Health and Safety F Type	0.5 ppm ng occupational health and safety) Value 5 mg/m3 Regulations, 1996, Table 21) Value
102-71-6) Canada. Quebec OELs. (Min Components TRIETHANOLAMINE (CAS 102-71-6) Canada. Saskatchewan OEL Components TRIETHANOLAMINE (CAS 102-71-6)	nistry of Labor - Regulation respectin Type TWA Ls (Occupational Health and Safety F Type 15 minute	0.5 ppm ag occupational health and safety) Value 5 mg/m3 Regulations, 1996, Table 21) Value 10 mg/m3 5 mg/m3
102-71-6) Canada. Quebec OELs. (Min Components TRIETHANOLAMINE (CAS 102-71-6) Canada. Saskatchewan OEL Components TRIETHANOLAMINE (CAS 102-71-6) logical limit values propriate engineering	histry of Labor - Regulation respectin Type TWA Ls (Occupational Health and Safety F Type 15 minute 8 hour No biological exposure limits noted fo Good general ventilation should be u applicable, use process enclosures, maintain airborne levels below recon	0.5 ppm ng occupational health and safety) Value 5 mg/m3 Regulations, 1996, Table 21) Value 10 mg/m3 5 mg/m3 or the ingredient(s). sed. Ventilation rates should be matched to conditions. If local exhaust ventilation, or other engineering controls to mended exposure limits. If exposure limits have not been
102-71-6) Canada. Quebec OELs. (Min Components TRIETHANOLAMINE (CAS 102-71-6) Canada. Saskatchewan OEL Components TRIETHANOLAMINE (CAS 102-71-6) logical limit values propriate engineering strols	histry of Labor - Regulation respectin Type TWA Ls (Occupational Health and Safety F Type 15 minute 8 hour No biological exposure limits noted fo Good general ventilation should be u applicable, use process enclosures, maintain airborne levels below recom established, maintain airborne levels	0.5 ppm ng occupational health and safety) Value 5 mg/m3 Regulations, 1996, Table 21) Value 10 mg/m3 5 mg/m3 or the ingredient(s). sed. Ventilation rates should be matched to conditions. If local exhaust ventilation, or other engineering controls to mended exposure limits. If exposure limits have not been to an acceptable level. Eye wash fountain and emergence
102-71-6) Canada. Quebec OELs. (Min Components TRIETHANOLAMINE (CAS 102-71-6) Canada. Saskatchewan OEL Components TRIETHANOLAMINE (CAS 102-71-6) logical limit values propriate engineering strols	histry of Labor - Regulation respectin Type TWA Ls (Occupational Health and Safety F Type 15 minute 8 hour No biological exposure limits noted fo Good general ventilation should be u applicable, use process enclosures, maintain airborne levels below recon established, maintain airborne levels showers are recommended.	0.5 ppm ng occupational health and safety) Value 5 mg/m3 Regulations, 1996, Table 21) Value 10 mg/m3 5 mg/m3 or the ingredient(s). sed. Ventilation rates should be matched to conditions. If local exhaust ventilation, or other engineering controls to mended exposure limits. If exposure limits have not been to an acceptable level. Eye wash fountain and emergence
102-71-6) Canada. Quebec OELs. (Min Components TRIETHANOLAMINE (CAS 102-71-6) Canada. Saskatchewan OEL Components TRIETHANOLAMINE (CAS 102-71-6) logical limit values propriate engineering strols	histry of Labor - Regulation respectin Type TWA Ls (Occupational Health and Safety F Type 15 minute 8 hour No biological exposure limits noted for Good general ventilation should be u applicable, use process enclosures, maintain airborne levels below recon established, maintain airborne levels showers are recommended.	0.5 ppm ng occupational health and safety) Value 5 mg/m3 Regulations, 1996, Table 21) Value 10 mg/m3 5 mg/m3 or the ingredient(s). sed. Ventilation rates should be matched to conditions. If local exhaust ventilation, or other engineering controls to mended exposure limits. If exposure limits have not been to an acceptable level. Eye wash fountain and emergence ment
102-71-6) Canada. Quebec OELs. (Min Components TRIETHANOLAMINE (CAS 102-71-6) Canada. Saskatchewan OEL Components TRIETHANOLAMINE (CAS 102-71-6) logical limit values propriate engineering trols	histry of Labor - Regulation respectin Type TWA Ls (Occupational Health and Safety F Type 15 minute 8 hour No biological exposure limits noted for Good general ventilation should be u applicable, use process enclosures, maintain airborne levels below recon established, maintain airborne levels showers are recommended.	0.5 ppm ng occupational health and safety) Value 5 mg/m3 Regulations, 1996, Table 21) Value 10 mg/m3 5 mg/m3 or the ingredient(s). sed. Ventilation rates should be matched to conditions. If local exhaust ventilation, or other engineering controls to mended exposure limits. If exposure limits have not been to an acceptable level. Eye wash fountain and emergence ment
102-71-6) Canada. Quebec OELs. (Min Components TRIETHANOLAMINE (CAS 102-71-6) Canada. Saskatchewan OEL Components TRIETHANOLAMINE (CAS 102-71-6) Nogical limit values propriate engineering ntrols	histry of Labor - Regulation respectin Type TWA Ls (Occupational Health and Safety F Type 15 minute 8 hour No biological exposure limits noted for Good general ventilation should be u applicable, use process enclosures, maintain airborne levels below recon established, maintain airborne levels showers are recommended.	0.5 ppm ng occupational health and safety) Value 5 mg/m3 Regulations, 1996, Table 21) Value 10 mg/m3 5 mg/m3 or the ingredient(s). sed. Ventilation rates should be matched to conditions. If local exhaust ventilation, or other engineering controls to mended exposure limits. If exposure limits have not been to an acceptable level. Eye wash fountain and emergence ment
102-71-6) Canada. Quebec OELs. (Min Components TRIETHANOLAMINE (CAS 102-71-6) Canada. Saskatchewan OEL Components TRIETHANOLAMINE (CAS 102-71-6) Nogical limit values propriate engineering ntrols	histry of Labor - Regulation respectin Type TWA Ls (Occupational Health and Safety F Type 15 minute 8 hour No biological exposure limits noted for Good general ventilation should be u applicable, use process enclosures, maintain airborne levels below recon established, maintain airborne levels showers are recommended. such as personal protective equipm Do not get in eyes. Wear safety glass recommended. Nitrile gloves are recommended.	0.5 ppm ng occupational health and safety) Value 5 mg/m3 Regulations, 1996, Table 21) Value 10 mg/m3 5 mg/m3 or the ingredient(s). sed. Ventilation rates should be matched to conditions. If local exhaust ventilation, or other engineering controls to mended exposure limits. If exposure limits have not been to an acceptable level. Eye wash fountain and emergency ment ses with side shields (or goggles). Eye wash fountain is

When using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

S. I hysical and chemical		
Appearance	CLEAR	
Physical state	Liquid.	
Form	Liquid.	
Color	Not available.	
Odor	CHEMICAL	
Odor threshold	Not available.	
рН	8.7	
Melting point/freezing point	< 6 °F (< -14.4 °C)	
Initial boiling point and boiling range	> 212 °F (> 100 °C)	
Flash point	Not Applicable	
Evaporation rate	Like water when diluted	
Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or exp	osive limits	
Flammability limit - lower (%)	Not available.	
Flammability limit - upper (%)	Not available.	
Explosive limit - lower (%)	Not available.	
Explosive limit - upper (%)	Not available.	
Vapor pressure	Not available.	
Vapor density	Not available.	
Relative density	Not available.	
Solubility(ies)		
Solubility (water)	100 % Water Miscible	
Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	Not available.	
Other information		
Explosive properties	Not explosive.	
Oxidizing properties	Not oxidizing.	
pH in aqueous solution	8.7 @ 20%	
Specific gravity	1.012	
VOC ASTM D2369	1 %	
10. Stability and reactivity		
, · · · · · · · · · · · · · · · · · · ·		

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Heat, flames and sparks. Contact with incompatible materials.
Incompatible materials	Do not add sodium nitrite or other nitrosating agents which may form cancer causing nitrosamines. Acids. Oxidizing agents.
Hazardous decomposition products	Smoke, fumes, oxides of nitrogen, and oxides of carbon

11. Toxicological information

Information on likely routes of exposure

Inhalation	Not classified.
Skin contact	Not classified.
Eye contact	Not classified.
Ingestion	Not classified.
Symptoms related to the physical, chemical and	Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

toxicological characteristics

Information on toxicological effects

Acute toxicity

Components	Species	Test Results
TRIETHANOLAMINE (CAS 102-7	' 1-6)	
<u>Acute</u>		
Dermal		
Liquid		
LD50	Rabbit	> 2000 mg/kg
Oral		
Liquid		
LD50	Rat	4190 mg/kg
Skin corrosion/irritation	Not classified.	
Serious eye damage/eye irritation	Not classified.	
Respiratory or skin sensitizatio	n	
Canada - Alberta OELs: Irri	tant	
TRIETHANOLAMINE (C	/	Irritant
Canada - Quebec OELs: Se		
TRIETHANOLAMINE (C	,	Sensitizer.
Respiratory sensitization	Not a respiratory sensitizer	
Skin sensitization		d to cause skin sensitization.
Germ cell mutagenicity	No data available to indicat mutagenic or genotoxic.	te product or any components present at greater than 0.1% are
Carcinogenicity	This product is not conside	red to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
IARC Monographs. Overall	Evaluation of Carcinogenic	ity
TRIETHANOLAMINE (C.	AS 102-71-6)	3 Not classifiable as to carcinogenicity to humans.
Reproductive toxicity	This product is not expecte	d to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Not classified.	
Further information	The classification for health methods and test data, if a	and environmental hazards is derived by a combination of calculation vailable.
40 Factorial information	-	

12. Ecological information

Ecotoxicity	Contains a substance which causes risk of hazardous effects to the environment.			
Components	Species Test Results			
TRIETHANOLAMINE (C	AS 102-71-6)			
Aquatic				
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	565.2 - 658.3 mg/l, 48 hours	

Components		Species	Test Results
Acute			
Fish	LC50	Bluegill (Lepomis macrochirus)	450 - 1000 mg/l, 96 hours
Persistence and degradability	No data is av	ailable on the degradability of any ingredi	ents in the mixture.
Bioaccumulative potential			
Partition coefficient n-octar TRIETHANOLAMINE	nol / water (log	Kow) -2.3	
Mobility in soil	No data availa	able.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. Disposal consideratio	ns		
Disposal instructions	Collect and re	eclaim or dispose in sealed containers at l	censed waste disposal site.
Local disposal regulations	Dispose in ac	cordance with all applicable regulations.	
Hazardous waste code	The waste co disposal com	0	een the user, the producer and the waste
Waste from residues / unused products		accordance with local regulations. Empty ues. This material and its container must t uctions).	2

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

TDG

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

Canadian regulations This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act Not regulated. Export Control List (CEPA 1999, Schedule 3) Not listed. **Greenhouse Gases** Not listed. **Precursor Control Regulations** Not regulated. International regulations **Stockholm Convention** Not applicable. **Rotterdam Convention** Not applicable. Kyoto protocol Not applicable. **Montreal Protocol** Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name On inventory or exemption	t (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Yes" indicates that all compo	nents of this product comply with the inventory requirements administered by the governing country(s)	

16. Other information

Issue date	10-28-2019
Version #	01
NFPA ratings	Health: 0 Flammability: 0 Instability: 0
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.